



Terms used UML and patterns and family of software systems

Found 2,409 of 171,143

Sort results  
by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display  
results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new  
window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Architecting families of software systems with process algebras](#)



Marco Bernardo, Paolo Ciancarini, Lorenzo Donatiello

October 2002 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,

Volume 11 Issue 4

**Publisher:** ACM Press

Full text available:  [pdf\(358.61 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Software components can give rise to several kinds of architectural mismatches when assembled together in order to form a software system. A formal description of the architecture of the resulting component-based software system may help to detect such architectural mismatches and to single out the components that cause the mismatches. In this article, we concentrate on deadlock-related architectural mismatches arising from three different causes that we identify: incompatibility between two com ...

**Keywords:** Architectural mismatch detection, architectural styles, process algebras, software architectures

2 [Modeling and Analysis of Concerns in Software \(MACS\): Separation of concerns in software product line engineering](#)



Mazen Saleh, Hassan Gomaa

May 2005